Asthma Treatment Plan — Student (This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)







(Please Pri	nt)					
Name			Date of Birth Effective		Effective Date	
Doctor			Parent/Guardian (if applicable) Emergency Contact			
Phone			Phone Phone		Phone	
HEALTHY	(Green Zone)	Tak	e daily control me e effective with a	edicine(s). Some "spacer" – use i	inhalers may be if directed.	Triggers Check all items that trigger
	You have <u>all</u> of these	: MEDIC	MEDICINE HOW MUCH to take and HOW OFTEN to take it			
9 3	 Breathing is good 	☐ Adva	Advair® HFA ☐ 45, ☐ 115, ☐ 2302 puffs twice a day			patient's asthma:
The same of the sa	No cough or wheeze		span™ co®		2 puffs twice a day	□ Colds/flu
TO WA	Sleep through	☐ Alves	.co® □ 80, □ 160		2 puffs twice a day	☐ Exercise☐ Allergens
0	the night	☐ Flove	ra® [100, [200]	2 puffs tv	wice a day	O Dust Mites,
THE THE	 Can work, exercise, 	Qvar	® \(\begin{aligned} & \begin{aligned}	z pulls tt	nuffs twice a day	dust, stuffed
0 0	and play	☐ Syml	[®] □ 40, □ 80 picort [®] □ 80, □ 160 ir Diskus [®] □ 100, □ 250, □	1, 0 2	P puffs twice a day	animals, carpet
		☐ Adva	ir Diskus® 🔲 100, 🔲 250, 🗀] 5001 inhalati	ion twice a day	 Pollen - trees, grass, weeds
			anex® Twisthaler® 🔲 110, 🔲	220	? inhalations □ once or □ twice a day ion twice a day	o Mold
		☐ FIOVE	INT® DISKUS® 🔲 50 📋 100 🗀	2501 innalati	ion twice a day ? inhalations □ once or □ twice a day	9,000 411111141
		Pulmi	cort Resputes® (Budesonide) 🗆 0	25. 0.5. 1.0 1 unit nel	bulized 🗌 once or 🗌 twice a day	danda
		☐ Singi	ulair® (Montelukast) 🔲 4, 🔲 5,	☐ 10 mg1 tablet o	daily	 Pests - rodents, cockroaches
		☐ Othe				Odors (Irritants)
And/or Peak	flow above	☐ None				O Cigarette smoke
					fter taking inhaled medicine	& second hand smoke
	If exercise triggers	your asthm	ıa, take	puff(s) _	minutes before exercise	• • Perfumes,
						cleaning
CAUTION	(Yellow Zone) IIII	Con	tinue daily control me	edicine(s) and ADD o	quick-relief medicine(s).	products, scented
	You have any of thes	e				products
900	• Cough	MEDIC			nd HOW OFTEN to take it	○ Smoke from
(e)	Mild wheeze		lbuterol MDI (Pro-air® or Proventil® or Ventolin®) _2 puffs every 4 hours as needed			burning wood, inside or outside
A A	Coughing at night ☐ Albu		nex®	2 puff:	s every 4 hours as needed	□ Weather
El allo			Albuterol 🗆 1.25, 🗆 2.5 mg1 unit nebulized every 4 hours as needed			o Sudden
~	• Other:	☐ Duor	☐ Duoneb® 1 unit nebulized every 4 hours as needed			temperature
V 6		□ Хоре	☐ Xopenex® (Levalbuterol) ☐ 0.31, ☐ 0.63, ☐ 1.25 mg _1 unit nebulized every 4 hours as needed			change change Extreme weather
If quick-relief m	edicine does not help within		bivent Respimat®	1 inha	lation 4 times a day	- hot and cold
	or has been used more than	□ Incre	☐ Increase the dose of, or add:			Ozone alert days
2 times and syn	nptoms persist, call your	100	□ Other			
doctor or go to the emergency room.			 If quick-relief medicine is needed more than 2 times a 			
And/or Peak flow from to Wee			eek, except before exercise, then call your doctor.			0
EMEDOE	MOV (D. LE. VIIII					o
EWIEKGE	NCY (Red Zone)	10.00			and CALL 911.	□ Other:
Spin	Your asthma is	As	Asthma can be a life-threatening illness. Do not wait!			
3	getting worse fast:	140	MEDICINE HOW MUCH to take and HOW OFTEN to take it			
4	 Quick-relief medicine di not help within 15-20 m 		The same of the sa			0
	Breathing is hard or fas	t	(openex®	oventil of ventoring	4 puffs every 20 minutes	This asthma treatment
THE WAY	Nose opens wide • Ribs	show \Box	Albuterol ☐ 1.25, ☐ 2.5 mg		4 puffs every 20 minutes 1 unit nebulized every 20 minutes	plan is meant to assist,
5	 Trouble walking and ta 	lkina I∟LL)uoneb®		1 unit nebulized every 20 minutes	not replace, the clinical
And/or	• Lips blue • Fingernails	blue >	(openex® (Levalbuterol) ☐ 0.3	, 🖂 0.63, 🖂 1.25 mg	_1 unit nebulized every 20 minutes	decision-making
Peak flow	 Other: 	(ombivent Respimat [®]		_1 inhalation 4 times a day	required to meet
below			Other			individual patient needs
Circlainners: No per a tracks provided provided to as far at 1664. He Adended Long Couldman Alexanders and all Clara coulder at	Antona District Plan and it contents of pick on risk the national is Association of the SM-Alless, IALMA-TO the Association Association Outstation, regions a smithely with Association in Statement Laboratory					
ACTOR A COURT OF ADDRESS OF ACT ADDR	Control Company of the control of th		elf-administer Medication:	PHYSICIAN/APN/PA SIGNAT		DATE
ment for a former to be not the Audion ment of damps, providing of the provided in the provided in the second sec	The Age the key designs in the large of the Banker of the large of the		capable and has been instructed		Physician's Orders	
es table to an dark whenever, saved by our	t diswift if the powerful of out flamages. ALAWA and its addition are	ııı tile proper M	ethod of self-administering of the nhaled medications named above	PARENT/GUARDIAN SIGNAT	TURE	
in, redui rokulli kotina Stali otid Nev Jersy si wa supported by agipal from the Rev Jersy Bernar for Besaza Control and Present on uniform		in accordance v				
Us control for the control of the co			not approved to self-medicate.	PHYSICIAN STAMP		
The second secon	And the second s		_ ,,			

Asthma Treatment Plan – Student Parent Instructions

The **PACNJ Asthma Treatment Plan** is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

1. Parents/Guardians: Before taking this form to your Health Care Provider, complete the top left section with:

- Child's name
- Child's doctor's name & phone number
- Parent/Guardian's name

- · Child's date of birth
- An Emergency Contact person's name & phone number
- & phone number



- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check "OTHER" and:
 - Write in asthma medications not listed on the form
 - * Write in additional medications that will control your asthma
 - * Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow
- 3. Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:
 - . Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
 - Child's asthma triggers on the right side of the form
 - <u>Permission to Self-administer Medication</u> section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- 4. Parents/Guardians: After completing the form with your Health Care Provider:
 - Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
 - · Keep a copy easily available at home to help manage your child's asthma
 - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION I hereby give permission for my child to receive medication at school as prescribed in the Asthma Treatment Plan. Medication must be provided in its original prescription container properly labeled by a pharmacist or physician. I also give permission for the release and exchange of information between the school nurse and my child's health care provider concerning my child's health and medications. In addition, I understand that this information will be shared with school staff on a need to know basis.						
Parent/Guardian Signature	Phone	Date				
FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM. RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY						
I do request that my child be ALLOWED to carry the following medication						
☐ I DO NOT request that my child self-administer his/her asthma medication.						
Parent/Guardian Signature	Phone	Date				



Disclaimers: The core of nix Webshaye/CMA Anthras Instituted Final and the content is at your coan risk. The content is provided on an "as is" basis. The American Lung Association of the Mid-Allunia: (ALAM-A), the Pediator/Adult Anthras Centifies of New Artery and all initiated obscious and an advantage of the Anthras (in th

+ AMERICAN LUNG ASSOCIATION.

Sponsored by

HANOVER TOWNSHIP PUBLIC SCHOOLS Self - Administration of Medication - Parent Release Form

TO:	Parents/Guardians of Pupils				
FROM:	M: Hanover Township Board of Education				
SUBJECT:	SELF-ADMINISTRATION	OF MEDICATION			
		. 2/1			
pupils who a potentially li- employees or	re permitted to self-administer the threatening illness that the Ha	ucation hereby informs parents/guardians of heir medication for asthma or another anover Township School District and its as a result of any injury arising from the said oil.			
I, the statement.	undersigned, hereby acknowled	dge that I have read and understood the above			
I also liability as a	acknowledge that the Hanover result of any injury arising from	Township School District shall incur no the administration of the medication			
	, by my	child,(full name of child)			
(nan	ne of medication)	(full name of child)			
I sha employees o medication	r agents from any and all claim	ver Township School District and its as arising out of the self-administration of			
Parent's/G	uardian's Signature				
Date	*## #	æ d			